



DoP - Declaration of Performance

0120-0074-DoP-2017-12

DoP

(Declaration of Performance)



FR		1
UK		2

DECLARATION DES PERFORMANCES

N° 0120-0074-DoP-2017-12

Règlement (UE) n°305/2011

- Code d'identification unique du produit type :
TAPIFLEX EXCELLENCE 4/80
25132/25133/25134/25135/25136
- Usage(s) prévu(s):
Revêtement de sol à base de polychlorure de vinyle à usage intérieur conforme à la norme harmonisée EN 14041:2004.
- Nom et adresse de contact du fabricant:
2 Avenue François SOMMER F-08203 Sedan Cedex, France
- Système(s) d'évaluation et de vérification de la constance des performances :
Système 3 : Réaction au feu
Réaction au feu: **CRET**, organisme notifié N° **NB 2401**, a réalisé et délivré le(s) rapport(s) d'essais N° **2017/162-1 & 2017/163-1**.
Système 3: C
Système 4: autres performances
- Performances déclarées :

Caractéristiques essentielles		Performances	Spécifications techniques harmonisées	
A - Réaction au feu	en pose collée sur support A1fl et/ou A2fl	Bfl S1	EN 14041:2004	
	en pose non collée sur support A1fl et/ou A2fl	NPD		
	en pose collée sur support bois	Cfl S1		
	en pose non collée sur support bois	NPD		
B - Teneur en pentachlorophénol		<5ppm		
C - Émissions de formaldéhyde		E1		
D - Étanchéité		NPD		
E - Résistance au glissement		DS		
F - Performances antistatiques		< 2kV		
G - Comportement électrique		≥10E9Ω		
H - Résistance thermique		0.04 m² K/W		

Les performances du produit identifié ci-dessus sont conformes aux performances déclarées. Conformément au règlement (UE) n°305/2011, la présente déclaration des performances est établie sous la seule responsabilité du fabricant identifié au point 3.

Signé pour le fabricant et en son nom par :
Bertrand MALET, Directeur d'usine
Sedan, 06/12/17



Signature


DECLARATION OF PERFORMANCE

N° 0120-0074-DoP-2017-12

Regulation (UE) n°305/2011

1. Unique identification code of the product-type:
TAPIFLEX EXCELLENCE 4/80
25132/25133/25134/25135/25136
2. Intended use(s):
Polyvinyl chloride floor covering for indoor use in compliance with the harmonized standard EN 14041:2004.
3. Name and contact address of the manufacturer:
2 Avenue François SOMMER F-08203 Sedan Cedex, France
4. System(s) of assessment and verification of constancy of performance:
System 3: Reaction to fire
Reaction to fire: **CRET**, notified body N° **NB 2401**, carried out testing and provided test report N° **2017/162-1 & 2017/163-1**.
Système 3: C
System 4: Other performances
5. Declared performance:

Essential characteristics		Performance	Harmonised technical specification
A – Reaction to fire	glued on an A1fl and / or A2fl substrate.	Bfl S1	EN 14041:2004
	loose-laid on an A1fl and/or A2fl substrate.	NPD	
	glued on a wooden sub-floor.	Cfl S1	
	«Ad»	NPD	
B – Content of pentachlorophenol		<5ppm	
C – Formaldehyde emission		E1	
D – Water-tightness		NPD	
E – Slipperiness		DS	
F – Antistatic performance		< 2kV	
G – Electrical resistance		≥10E9Ω	
H – Thermal resistance		0.04 m² K/W	

The performance of the product identified above is in conformity with the declared performances. According to the regulation (EU) n°305 / 2011, the present declaration of performance is issued under the sole responsibility of the manufacturer identified in point 3.

Signed for and on behalf of the manufacturer by:
Bertrand MALET , Plant Manager
Sedan, 06/12/17



Signature
